The following table summarizes all ved commands:

Key Label		**CTRL**	**ESC CTRL**	**ALT** set mark first	**ALT ESC** set mark first
	@	where from top	where from bot	where mark from top	where mark from bot
|←	**A**	start of line	start of para	start of line	start of para
F2	**B**	go to beginning	go to bottom	go to beginning	go to bottom
F1	**C**	exit [+save file buffer]	save file buffer	˜	˜
F3	**D**	delete char	delete words	˜	˜
→|	**E**	end of line	end of para	end of line	end of para
→	**F**	forward char	forward word	forward char	forward word
F11	**G**	get file	change file	edit macro file	˜
←	**H**	back char	back word	back char	back word
TAB	**I**	tab	˜	tab	˜
NL	**J**	insert new line	˜	jump to mark	switch mark and cursor
F4	**K**	kill line	kill para	kill selection	˜
	L	re-display	adjust window	curr line → top	˜
CR	**M**	insert new line	change modes	sets mark	˜
↓	**N**	down line	down para	down line	down para
F5	**O**	open line	˜	open line	˜
↑	**P**	up line	up para	up line	up para
	Q	XON	˜	˜	˜
F9	**R**	forward search	reverse search	forward search	reverse search
	S	XOFF	˜	˜	˜
F6	**T**	save line into paste buf	save para into paste buf	save selection into paste buf	˜ into paste buf
	U	multiply	mult=#	˜	˜
F7	**V**	paste	paste and clear paste buf	replace select with paste buf	replace select clear paste buf
F12	**W**	write file	write paste buf	write selection	˜
	X	XTD	execute buf	exec selection	˜
	Y	save char into paste buf	save word into paste buf	˜	˜
F10	**Z**	re-search	reverse re-srch	re-srch	reverse re-srch
ESC	**[**	ESC	˜	ALT ESC	˜
	]	ALT	ALT ESC	goto tag	pop tag stack
F8	\	chng paste buf	clr paste buf	˜	˜
	ˆ	quote char	quote to 8 bit	quote to 8bit ctl	quote hex
	_	undo delete	˜	clear mark	˜
DEL	**DEL**	erase char	erase word	˜	˜

XTD commands:

Key Label		**CTRL**	**ESC CTRL**	**ALT** **set mark first**	**ALT ESC** **set mark first**
	H	**help**	˜	˜	˜
	X	**execute cmd**	˜	˜	˜
	Z	**suspend**	˜	˜	˜

Special Escape commands:

ESC #	**Set mult to # for next command. (# is any number)**
ESC %	**Search matching parenthesis.**
ESC *	**Call temporary macro.**
ESC :	**Introduce colon command.**
ESC n	**Next Page.**
ESC p	**Previous Page.**
ALT ESC n	**Set Mark then next Page.**
ALT ESC p	**Set Mark then previous Page.**

Colon commands:

backup	**Backup file (same as ESC ^C)**
bind	**Print or set command bindings**
help	**Print colon command help**
macro	**Set temporary macro**
map	**Set/view mappings**
next	**Switch to next file**
prev	**Switch to previous file**
quit	**Quit editor (same as ^C)**
set	**Set parameters**
substitute	**Substitute pattern**
tag	**Go to named tag**

Colon set commands:

*	autoindent	Set autoindent mode.
	linelen	Set line length to arg.
*	magic	Set magic search mode
*	markwrap	Mark wrapping lines
	optline	Set optimal line number to arg.
	pmargin	Set page margin for scrolling to arg.
	psize	Set page length to arg.
	tabstop	Set tab width to arg.
	taglength	Set number of significant characters for tag search to arg.
	tags	Set tag file search path to arg.
	wrapmargin	Set wrap margin for auto new line to arg.

Commands marked with an asterix are boolean. They may be set to *false* by prepending a no to the name.